


PRIVATE ORGANIZATIONS WHO HAVE TRUSTED US WITH THEIR SIGNAGE REQUIREMENTS



SIGN SYSTEM PROJECT FACTORY AL OTHMAN

We are one of the leading Sign Manufacturing Company in the Kingdom of Saudi Arabia with Head Office in the Capital City Riyadh. We have a well equipped factory with specialized technicians in Production & Installation.

Our main scope of works is Internal, External, Metal, Plastic, Illuminated, non illuminated, Traffic signs and Build-up & Display Systems. All these products are according to the latest International System such as Weyel, Spandex, Cosign, PLEX, Slim Slatz, etc.

We have accumulation of experiences supported with skilled technicians and engineers for installing signs all over Saudi Arabia.

All this made us a trusted Governmental and Private Organizations such as Ministry of Education, Ministry of Health, Ministry of Transportation and Communication, General Presidency for Youth Welfare, National Guard, Ministry of Defense and Aviation, Public Security & Others.

مصنع أنظمة مشاريع الاعلان العثمان

يعتبر مصنع أنظمة مشاريع الإعلان من المصانع الرائدة في إنتاج اللوحات الإرشادية والإعلانية لمدة تزيد عن عشرين عاما ويقع مصنعنا في مدينة الرياض وهو مصنع مجهز بأحدث المعدات والأجهزة اللازمة لإنتاج متميز.

الإنتاج الرئيسي لمصنعنا يتمحور في اللوحات الإرشادية الداخلية والخارجية بجميع أنواعها (معدنية وبلاستيكية مضاءة وغير مضاءة مطبوعة وبارزة) ، وأيضا نظم العرض، هذا كله ينتج وفقا لأحدث النظم العالمية في هذا المجال مثل (فايل ، سباندكس ، كوساين ، بلكس سلم سلاتز... الخ) .

إن تراكم الخبرات التي حصلنا عليها ويدعمها مهندسين وفنيين مهرة مع مجموعات تركيب متنقلة جعلت إنتاجنا علامة متميزة (العثمان) في جميع أنحاء المملكة العربية السعودية في مجال لوحات الإعلان .

هذا كله جعلنا محل ثقة الشركات والمؤسسات الأهلية والجهات الحكومية كوزارة التربية والتعليم ووزارة النقل والمواصلات ووزارة الصحة والرئاسة العامة لرعاية الشباب ورئاسة الحرس الوطني ووزارة الدفاع والأمن العام ومديرية البريد وغيرها .

CONTENTS

CWS

COSIGN / WEYEL / SILM SALTZ / SPANDEX 1 - 16

PROFILE SIGN SYSTEM INTERNAL

COVI

CORVO / ORLANTO / VISTA / I-SIGN 17 - 27

PROFILE SIGN SYSTEM INTERNAL

CSS

CUSTOMIZE SPECIAL SIGNS 28 - 43

PROFILE SIGN SYSTEM INTERNAL

TBL

TOTEM / BUILD-UP LETTER SIGN 44 - 83

EXTERNAL SIGN SYSTEM

PTS

PROJECTS SIGN / TRAFFIC SIGNS 84 - 98

EXTERNAL SIGN SYSTEM

GSS

GOVERNMENT SCHOOLS SIGN 99 - 104


EXTERNAL & INTERNAL SIGNS SYSTEM



العثمان
مصنع أنظمة الإعلان
ALOTHMAN
SIGN SYSTEMS FACTORY



COSIGN / WEYEL / SILM SALTZ
PROFILE SIGN SYSTEM



COSIGN PROFILE INTERNAL SIGN



CWS - 001



CWS - 002



CWS - 003



CWS - 004



CWS - 006



CWS - 005




CWS - 007

COSIGN PROFILE INTERNAL SIGN



CWS - 008



CWS - 009



CWS - 010



CWS - 011



CWS - 012



CWS - 013



CWS - 014




CWS - 015

COSIGN PROFILE SPECIFICATION


ACS FRAME PROFILE

WALL-MOUNTED


TYPICAL DETAILS



SCALE 1:5



SCALE 1:2




SILKSCREEN-PRINTED OR COMPUTER-CUT VINYL STICKER

SCREW FOR FIXING ROD HOLDER TO QUADRANT SIDETRACK

CLIPS IN 20mm MODULAR UNITS


QUADRANT SIDETRACK



WEYEL PROFILE INTERNAL SIGN



CWS - 016



CWS - 017



CWS - 018



CWS - 020



CWS - 019



CWS - 021

TYPE 3 ALUMINUM FRAME PROFILE
DOUBLE-SIDED CEILING-SUSPENDED
TYPICAL DETAILS



CWS - 022

WEYEL PROFILE SPECIFICATION



CWS - 023

TYPE 3 ALUMINUM FRAME PROFILE


WALL-MOUNTED

TYPICAL DETAILS




SCALE 1:9

FACEPLATE SIZES







SCALE 1:3



WEYEL PROFILE SPECIFICATION

TYPE 3 ALUMINUM FRAME PROFILE DOUBLE-SIDED CEILING-SUSPENDED


TYPICAL DETAILS



SLIM SLATZ PROFILE INTERNAL SIGN



CWS - 024



CWS - 025



CWS - 026



CWS - 027



CWS - 028



CWS - 029



CWS - 030

SLIM SLATZ PROFILE INTERNAL SIGN



CWS - 031



CWS - 032



CWS - 033



CWS - 034



CWS - 035



CWS - 036



CWS - 037

SLIM SLATZ PROFILE SPECIFICATION


TYPE 2 ALUMINUM FRAME PROFILE

WALL-MOUNTED


TYPICAL DETAILS






SCALE 1:5



SCALE 1:1




EXCHANGEABLE STRIPS SIZES
(PERMANENT TYPE FOR BIGGER SIZES)




دليل المبني BUILDING DIRECTORY		
GROUND FLOOR الدور الأرضي		
إدارة المشتريات / عقود Purchasing & Contracts Dept.	الإدارة Administration	وزارة الاتصالات للشركات Corporate Communication Dept.
إدارة المراقب المالي Finance Controller Dept.	مسرح Theater	إدارة الموارد البشرية Human Resources Dept.
مكتب السيدات Ladies Office	وزارة الشؤون الحكومية Government Affairs Dept.	قاعة المصلي Prayer Hall
1ST FLOOR الدور الأول		
القسم القانوني Legal Section	الخدمة والسلامة والأمن Health Safety & Security	مكتب الرئيس President Office
الخزانة Treasury	المرافعة الداخلية للمسابقات Internal Audit	المكاتب نواب الرئيس V.P. Offices
مجلس الإدارة Board Of Directors	تكنولوجيا المعلومات Information Technology	مكتب التخطيط Planning Office
2ND FLOOR الدور الثاني		
مطبخ Kitchen	غرفة متعددة الأغراض Multi-Purpose Room	كافتيريا / أرشيف Cafeteria / Archive

SLIM SLATZ PROFILE SPECIFICATION

TYPE 3 ALUMINUM FRAME PROFILE DOUBLE-SIDED CEILING-SUSPENDED TYPICAL DETAILS



SPANDEX PROFILE INTERNAL SIGN



CWS - 039




CWS - 040



CWS - 041



CWS - 042



CWS - 043



CWS - 044



CWS - 045




CWS - 046

SPANDEX PROFILE SPECIFICATION

TYPE 1 ALUMINUM FRAME PROFILE

WALL-MOUNTED

TYPICAL DETAILS






• FACEPLATE SIZES:
20, 40, 60, 80, 120 & 160mm

TYPE 1 ALUMINUM FRAME PROFILE

DOUBLE-SIDED FLAG TYPE



TYPICAL DETAILS



SPANDEX PROFILE SPECIFICATION

TYPE 1 ALUMINUM FRAME PROFILE DOUBLE-SIDED CEILING-SUSPENDED

TYPICAL DETAILS



STEEL TUBE FOR CEILING-SUSPENSION
(VARIABLE HEIGHT)

END CAP

QUADRANT SIDETRACK

CLIPS IN 20mm MODULAR UNITS

1.5mm THICK ALUMINUM PANEL
FIXED ON SQUARE TOP & BOTTOM PROFILES
USING DOUBLE-SIDED ADHESIVE TAPE
(PERMANENT TYPE)

6mm Ø STEEL ROD

12mm Ø STEEL TUBE

STEEL ROD HOLDER

SILKSCREEN-PRINTED
OR COMPUTER-CUT VINYL STICKER

SCREW FOR FIXING ROD HOLDER
TO QUADRANT SIDETRACK


CLIPS IN 20mm MODULAR UNITS

QUADRANT SIDETRACK

3mm THICK
ACRYLIC PANEL SPACER


PROFILE DIRECTORY INSTALLATION DETAILS

- TYPE 2 ALUMINUM FRAME PROFILE QUADRANT SIDETRACK
- CLIPS IN 20mm MODULAR UNITS



TYPE 2 ALUMINUM FRAME PROFILE DIRECTORY INFORMATION PANELS CAN BE EASILY CHANGED

WALL-MOUNTED SINGLE-COLUMN DIRECTORY



CWS - 047

WALL-MOUNTED MULTI-COLUMN DIRECTORY




CWS - 048

TYPE 1 ALUMINUM FRAME PROFILE DIVIDER TRACK IS USED TO MAKE MULTI-COLUMN DIRECTORIES

MULTI-CLIPS




CHANGING INDIVIDUAL TEXT PANELS IS EASIER WITH MULTI-COLUMN DIRECTORIES




الأتصالت الإءارفة

ADMINISTRATIVE COMMUNICATIONS

CURVO / ORLANTO / VISTA / I-SIGN
PROFILE SIGN SYSTEM




CURVO PROFILE INTERNAL SIGN




CURVO PROFILE SPECIFICATION

CURVED FRAME PROFILE DOUBLE-SIDED CEILING-SUSPENDED TYPICAL DETAILS



COVI - 007

CURVED FRAME PROFILE WALL-MOUNTED TYPICAL DETAILS



SCALE 1:4

■ ALUMINUM SECTION ▲ SIGNAGE AREA

ORLANTO PROFILE INTERNAL SIGN



COVI - 008



COVI - 009



COVI - 010



COVI - 011



COVI - 012




COVI - 013

CURVED FRAME PROFILE

SIZE DETAILS


TYPICAL DETAILS



CURVED FRAME PROFILE

WALL-MOUNTED

TYPICAL DETAILS




PLASTIC SIDE COVER
FINISHED SCREWS HOLD
THE GRAPHICS PANEL IN PLACE

ANODIZED ALUMINUM
FRAME PROFILE

TRANSPARENT PLASTIC
PROTECTION SHEET

SILKSCREEN-PRINTED
TEXT AND GRAPHICS
ON .7mm THICK ALUMINUM SHEET



VISTA PROFILE SPECIFICATION



COVI - 014



COVI - 015




COVI - 016




COVI - 017

VISTA PROFILE SPECIFICATION



COVI - 018




COVI - 019



COVI - 020



COVI - 021



COVI - 022



COVI - 023


ANODIZE FRAME PROFILE

WALL-MOUNTED


TYPICAL DETAILS



SCALE 1:4




SCALE 1:3



ANODIZE FRAME PROFILE

DOUBLE-SIDED CEILING-SUSPENDED


TYPICAL DETAILS



I-SIGN PROFILE SPECIFICATION




HS - 024



COVI - 025



COVI - 026






COVI - 027



COVI - 028

ANODIZE FRAME PROFILE
DOUBLE-SIDED CEILING-SUSPENDED AND FLAG TYPE
TYPICAL DETAILS



DOUBLE SIDED


THIS I - SIGN PROFILE USING ARE FOR CEILING SUSPENDED SIGN
 AND FLAG TYPE SIGN APPLY FOR DOUBLE SIDED
 AND SINGLE SIDED PROCEDURE

I-SIGN PROFILE SPECIFICATION

ANODIZE FRAME PROFILE

WALL-MOUNTED

TYPICAL DETAILS



1 Elegant frame without visible fixtures.

2 panels in different materials with a 2-3mm thickness can be used: engraving sheets, panels with braille or tactile letters, aluminium composite panels, metal, glass, acrylic, wood, ...

3 An innovative clip with double sided tape is used to mount the panels inside the frame. The position of the clip can be altered allowing 2mm or 3mm panels to be inserted but still making sure the panels are flush with the top of the aluminium frame.

4 to wall mount an I-Sign Fix double sided tape or screws can be used.

COVI - 029


ANODIZE FRAME PROFILE

DOUBLE-SIDED FLAG TYPE


TYPICAL DETAILS



3mm THICK ALUMINUM FLAG TYPE
WITH DOUBLE ADHESIVE TAPE
BOTH SIDE



SCALE 1:6



5mm Ø SCREW WITH PLASTIC
ANCHORAGE FOR WALL-FIXING

I - SIGN PROFILE

I - SIGN PROFILE



3mm THICK ALUMINUM FLAG TYPE
WITH DOUBLE ADHESIVE TAPE
BOTH SIDE

SCALE 1:4

COVI - 030



**CUSTOMIZE SPECIAL SIGNS
INTERNAL SIGN SYSTEM**



CUSTOMIZE PROFILE INTERNAL SIGN




CSS - 001



CSS - 002



CSS - 003




CSS - 004





CSS - 005


EDGE LIT PROFILE WALL-MOUNTED ILLUMINATED SIGN TYPICAL DETAILS




SCALE 1:6



SCALE 1:12



MOUNTING DETAILS



SCALE 1:3


CSS - 006



CSS - 007




CSS - 008



CSS - 009



CSS - 010



CSS - 011




CSS - 012


CUSTOMIZE PROFILE INTERNAL SIGN

CURVED ALUMINUM SIGN
WALL-MOUNTED WITH MIDI SPACER

TYPICAL DETAILS





SCALE 1:8



CURVED ALUMINUM SIGN
DOUBLE-SIDED FLAG-TYPE

TYPICAL DETAILS






SCALE 1:8

GLASS PANEL SIGN

WITH MIDI GLASS SPACER

TYPICAL DETAILS





CSS - 013

GLASS PANEL SIGN WITH MIDI GLASS SPACER

TYPICAL DETAILS




CSS - 014



CSS - 015



CSS - 016



CSS - 017

GLASS SPACER (MIDI)

WITH SAND-BLASTED GLASS

TYPICAL DETAILS

CSS - 018

IDEAL FOR FASTENING
POSTER FRAMES,
LEAFLET DISPENSER,
INFO PACKETS, SHELVES, ETC.

PLASTIC-COATED
STEEL THREAD



CSS - 019

TENSION TO THE THREADS CAN
BE ADJUSTED BY TIGHTENING
THE COLLAR OF THE SCREW



CSS - 020

IDEAL FOR FASTENING SLABS
OR PANELS TO THE WALL
WITHOUT ANY SPACE IN BETWEEN

MICRO WALL-FASTENER



CSS - 021

IDEAL FOR MOUNTING
THIN PANELS, SLATES AND
SLABS WITH A MAXIMUM
THICKNESS OF 4mm

MINI WALL-FASTENER /
GLASS HOLDER OFFERS
6mm DISTANCE FROM THE WALL



CSS - 022

IDEAL FOR FASTENING
SLABS AND PANELS
OF UP TO 15mm THICK

MAXI WALL SPACER
OFFERS A DISTANCE
OF 25mm FROM THE WALL



CSS - 023

IDEAL FOR A MAXIMUM THICKNESS
OF 11mm (2 PANELS OF GLASS
OF 4mm AND 2 GLASS-SAVER
RINGS OF 1.5mm

PARTICULARLY USEFUL WITH
"SANDWICH" DIRECTIONAL
INFORMATION SYSTEMS,
SAVING TIME AND MONEY



CSS - 024

IDEAL FOR USE WITH
GLASS, WOOD, ACRYLIC, ETC.

TABLE PROFILE
PROVIDES STABLE SUPPORT
FOR INFORMATION SIGNS,
NAME CARDS OR PHOTO FRAMES



CSS - 025

IDEAL FOR FASTENING PANELS
OF UP TO 15mm THICK
WITHOUT PERFORATING

BORDER SPACER / FASTENER
OFFERS A DISTANCE OF 25mm
FROM THE WALL



GLASS SPACER (MIDI)

WITH SAND-BLASTED GLASS

TYPICAL DETAILS

CSS - 026

ANODIZED ALUMINUM
TRACK SYSTEM USED TO
ASSEMBLE SEVERAL PLATES
FIXED WITH FISSO SPACERS



fastening track

RAIL


CSS - 027

IDEAL FOR SMALL BOOKSHELVES,
CEILING FASTENERS OR
NAME CARD HOLDERS

PUNTO PROFILE ALLOWS
FOR EASY FASTENING OF SLABS
AND PANELS TO THE CEILING,
THE WALL AND THE FLOOR



PUNTO



DIRECTORY INFORMATION PANELS

FISSO SPACER

FISSO RAIL TRACK SYSTEM



AVAILABLE IN CHROME,
GOLD AND SATINIZED SILVER




SAND-BLASTED
GLASS PANEL

CHROME FINISH
MIDI WALL SPACER

COMPUTER-CUT
VINYL STICKER

CSS - 028

ACCEPTS PANELS
UP TO 11mm THICK





ACTUAL SIZE

EDGELIT TINTED GLASS

DOUBLE-SIDED FLAG-TYPE

TYPICAL DETAILS




EDGE LIT TINTED GLASS DOUBLE-SIDED FLAG-TYPE TYPICAL DETAILS



CSS - 029



CSS - 030



CSS - 031


HOTEL ILLUMINATED SIGN **WALL MOUNTED FLAG-TYPE** **TYPICAL DETAILS**



CSS - 032





CSS - 033



TYPE D ILLUMINATED PROFILE

DOUBLE-SIDED CEILING-SUSPENDED

TYPICAL DETAILS




EDGE LIT TINTED GLASS DOUBLE-SIDED CEILING SUSPENDED TYPICAL DETAILS



CSS - 034

- 10mm EDGE LIT BLUE-TINTED GLASS
- POWDER COATED ALUMINUM STRUCTURE;
BACKGROUND: 3M OPAQUE VIVID BLUE (180-17)
- 3mm BLACK ALUMINUM CUT-OUT LETTERS WITH 3M
OPAQUE WHITE (7725-10) STICKER ON SURFACE.
- 3mm BLACK PAINTED ALUMINUM
CUT-OUT SQUARES;
3M OPAQUE TOMATO RED (180-13)
& 3M OPAQUE WHITE (7725-10)
- BOX STRUCTURE INTERNALLY ILLUMINATED,
CLEAR ACRYLIC FACE.
BACKGROUND: 3M OPAQUE TOMATO RED (180-13),
3M OPAQUE VIVID BLUE (180-17);
ARROWS: 3M TRANSLUCENT WHITE (3620-20)

SCALE 1:16



3mm BLACK PAINTED ALUMINUM
CUT-OUT SQUARES;
3M OPAQUE TOMATO RED (180-13)
& 3M OPAQUE WHITE (7725-10)

POWDER COATED ALUMINUM STRUCTURE;
BACKGROUND: 3M OPAQUE VIVID BLUE (180-17)


3mm BLACK ALUMINUM CUT-OUT LETTERS WITH 3M
OPAQUE WHITE (7725-10) STICKER ON SURFACE.

10mm EDGE LIT BLUE-TINTED GLASS

BOX STRUCTURE INTERNALLY ILLUMINATED, CLEAR ACRYLIC FACE.
BACKGROUND: 3M OPAQUE TOMATO RED (180-13),
3M OPAQUE VIVID BLUE (180-17);
ARROWS: 3M TRANSLUCENT WHITE (3620-20)

ACRYLIC BOX SIGN

CEILING-SUSPENDED WITH MAXI SPACER
TYPICAL DETAILS



- STAINLESS STEEL ROD FOR SUSPENSION
- SILVER-PAINTED STAINLESS STEEL BOX LIGHTED STRUCTURE
- CHROME FINISH MAXI SPACER
- 5mm THICK CLEAR ACRYLIC PANEL
- VINYL WHITE STICKER GRAPHICS FIXED ON 5mm CLEAR ACRYLIC PANEL
- 3 mm CLEAR ACRYLIC BOX WITH DIFFUSED DARK BLUE STICKER BACKGROUND

CSS - 035


CUSTOMIZE PROFILE INTERNAL SIGN



CSS - 036



CSS - 037



CSS - 038




CSS - 039



CSS - 040



TOTEM / BUILD-UP LETTER SIGN EXTERNAL SIGN SYSTEM





TOTEM PROFILE EXTERNAL SIGN



OS - 135

TOTEM PROFILE EXTERNAL SIGN





COMPANY IDENTITY TOTEM
DOUBLE-SIDED LOCATOR SIGN
TYPICAL DETAILS




TYPE 2 ALUMINUM POST PROFILE

DOUBLE-SIDED LOCATOR SIGN

TYPICAL DETAILS



TOTEM PROFILE EXTERNAL SIGN



SCALE 1:18



HS - 152

TYPE 2 ALUMINUM POST PROFILE

DOUBLE-SIDED LOCATOR SIGN

HS - 153

TYPICAL DETAILS




SCALE 1:16



OS - 140

PYLON SIGN
DOUBLE-SIDED

TYPICAL DETAILS



EXTERNAL LIGHTED SIGN OPTION

TOTEM PROFILE EXTERNAL SIGN

TYPE 2 ALUMINUM POST PROFILE

DOUBLE-SIDED INFORMATION SIGN

TYPICAL DETAILS



SCALE 1:20




MS - 135

2005 10:52:02

DIRECTIONAL PARKING PYLON

DOUBLE-SIDED ILLUMINATED SIGN


TYPICAL DETAILS



SCALE 1:34

BOX STRUCTURE INTERNALLY ILLUMINATED.
FACE NON-ILLUMINATED APPLIED WITH
3M OPAQUE TOMATO RED (180-13)
& VIVID BLUE (180-17)

CUT-OUT TEXT & ARROWS
INLAYED WITH CLEAR ACRYLIC
WITH 3M TRANSLUCENT WHITE (3630-20)





MS - 131

TOTEM PROFILE EXTERNAL SIGN

DIRECTORY BOARD


THREE-FACE FLOOR-MOUNTED

TYPICAL DETAILS



MS - 132


TOTEM PROFILE EXTERNAL SIGN



MS - 119



MS - 120



MS - 121



MS - 122




MS - 123



MS - 124

TOTEM PROFILE EXTERNAL SIGN



MS - 125



MS - 126



MS - 127



MS - 128




MS - 129




MS - 130

TOTEM PROFILE EXTERNAL SIGN



OS - 139



UNI-POLE EXTERNAL SIGN



TYPE 2 ALUMINUM POST PROFILE **DOUBLE-SIDED TOTEM SIGN** **TYPICAL DETAILS**



MS - 136


TOWER TOTEM EXTERNAL SIGN




Illumination LED Installation




Panel Sheet Installation



Structural & Base Steel Installation







Foundation Footing Installation



MARBLE ILLUMINATED PROFILE **DOUBLE-SIDED TOTEM SIGN** **TYPICAL DETAILS**




MARBLE TOTEM EXTERNAL SIGN



I-BEAM POST TOTEM PROFILE

DOUBLE-SIDED TOTEM SIGN



TYPICAL DETAILS



HS - 156

BUILD-UP LETTERS
LED - ILLUMINATED STAINLESS STEEL
TYPICAL DETAILS






TOTEM PROFILE EXTERNAL SIGN


1.5 mm THICKNESS ZINCORE PANEL SHEET
PAINTED POLYURETHANE COLOR GOLD

0.7mm THICKNESS ZINCORE PANEL SHEET FOR
SIDING OF BUILD-UP HEIGHT: 50mm



LETTER STAND FIXED ON
EXISTING CLADDING WALL
USING SCREWS


BUILD-UP LETTERS LED - ILLUMINATED STAINLESS STEEL TYPICAL DETAILS



ALUMINUM BUILD-UP LETTERS

WITH FLEXFACE ENTRANCE NUMBERS

TYPICAL DETAILS



MS - 133

BUILD-UP LETTERS AND LOGO

CHEMICALLY-ETCHED LOGO

TYPICAL DETAILS



BUILD-UP LETTERS AND LOGO

WITH BUILD-UP BACKGROUND

TYPICAL DETAILS




BUILD-UP PROFILE EXTERNAL SIGN



OS - 141



1.5mm THICK ACRYLIC FACE
WITH ORACAL TRANSLUCENT
011 PALE BROWN COLOR
VINYL STICKER BACKING




1.5mm THICK ACRYLIC FACE
WITH ORACAL TRANSLUCENT
087 EMERALD COLOR
VINYL STICKER BACKING

1 mm THICK ZINCORE SIDING
AND BACKING POLYURETHANE-PAINTED
GREEN COLOR AS APPROVED BY CLIENT

NEON LIGHTS
FOR INTERNAL ILLUMINATION


OS - 142




BUILD-UP PROFILE EXTERNAL SIGN



OS - 143






BUILD-UP PROFILE EXTERNAL SIGN





OS - 145




BUILD-UP ZINCORE
ARABIC AND ENGLISH LETTERS
WITH BLUE COLOR NEON LIGHTS
FOR REAR ILLUMINATION

BUILD-UP PROFILE EXTERNAL SIGN



- 1.0 mm THICK ZINCORE FACE
POLYURETHANE-PAINTED BLACK COLOR
- 1.0 mm THICK ZINCORE SIDING
POLYURETHANE-PAINTED BLACK COLOR
BUILD-UP HEIGHT: 50mm
- WHITE COLOR NEON LIGHT
FOR REAR ILLUMINATION
- LETTER STAND FIXED ON WALL
USING SCREWS


BUILD-UP PROFILE EXTERNAL SIGN




BUILD-UP PROFILE EXTERNAL SIGN



OS - 148



BUILD-UP ALUMINUM SIGNAGE




HS - 149

BUILD-UP LETTERS
NEON-ILLUMINATED STAINLESS STEEL
TYPICAL DETAILS



HS - 151

BUILD-UP LETTERS
WITH ILLUMINATED FLEXFACE LOGO
TYPICAL DETAILS



SCALE 1:36



HS - 156



BUILD-UP LETTERS
NEON-ILLUMINATED STAINLESS STEEL
TYPICAL DETAILS



DAY IMPRESSION






NIGHT IMPRESSION



- 1.5mm THICK STAINLESS STEEL FACE
- 2-LINE WHITE NEON TUBE BACKLIGHTING
- 1mm THICK STAINLESS STEEL LETTER SIDING, 10mm BUILD-UP HEIGHT
- LETTER STAND



BUILD-UP PROFILE EXTERNAL SIGN

HS - 158




BUILD-UP PROFILE EXTERNAL SIGN

HS - 159



BUILD-UP PROFILE EXTERNAL SIGN

HS - 160



DAY IMPRESSION




**NEON-ILLUMINATED
NIGHT IMPRESSION**

1.5mm THICK
BRASS BUILD-UP
HEIGHT OF BUILD-UP: 75mm

ZINCORE BUILD-UP
POLYURETHANE-PAINTED
AS APPROVED BY CLIENT





DAY IMPRESSION



NIGHT IMPRESSION



PROJECTS POST SIGN / SPANDEX POST SIGN / TRAFFIC SIGNS
EXTERNAL SIGN SYSTEM




OS - 137

TYPE 1 ALUMINUM POST PROFILE

DOUBLE-SIDED LOCATOR SIGN


TYPICAL DETAILS



TYPE 1 ALUMINUM POST PROFILE

DOUBLE-SIDED INFORMATION SIGN

TYPICAL DETAILS



TYPE 1 ALUMINUM POST PROFILE

DOUBLE-SIDED LOCATOR SIGN

OS - 138

TYPICAL DETAILS





HS - 154

TYPE 1 ALUMINUM POST PROFILE

SINGLE-SIDED LOCATOR SIGN


TYPICAL DETAILS




MS - 134


TYPE 1 ALUMINUM POST PROFILE DOUBLE-SIDED TRAFFIC DIRECTION

TYPICAL DETAILS



SCALE 1:18





TYPE 1 ALUMINUM POST PROFILE


DOUBLE-SIDED DIRECTION SIGN

HS - 155

TYPICAL DETAILS



SCALE 1:18




TYPE 1 ALUMINUM POST PROFILE

DOUBLE-SIDED DIRECTION SIGN



TYPICAL DETAILS

HS - 155





INFO-PANEL DETAILS


HS - 157




ZINCORE WITH ACRYLIC **DOUBLE-SIDED TOTEM PARKING SIGN** **TYPICAL DETAILS**











SIZE : 600mm Ø



SIZE : 600mm Ø



SIZE : 600mm Ø



SIZE : 600mm Ø



SIZE : 600mm Ø



SIZE : 600mm Ø



SIZE : 600mm Ø



SIZE : 600mm Ø



SIZE : 600mm Ø




SIZE : 600mm Ø



SIZE : 600mm Ø







SIZE : 600mm Ø



SIZE : 600mm Ø




SIZE : 600mm Ø






GOVERNMENT SCHOOLS SIGN EXTERNAL & INTERNAL SIGNS SYSTEM







School Back Ground Painted By Poly Urethane Paint
أرضية لوحة المدرسة تطلّى بدهان بولي يوريثان Pantone 327 C

مخطط التجميع Assembly Diagram




المرجع Ref #	Material Description	وصف المادة	الكمية Qty.
①	1440 mm X 80. Alum. Sign Pole	ماسورة الألمنيوم بطول ١٤٤٠ ملم قطر ٨٠ ملم	2 nos
②	30 X 30 mm Steel Tubular Framing of size 6000 X 1440 mm	هيكل مقاس ١٤٤٠ × ٦٠٠٠ ملم من تيوبات الحديد المربع ٣٠ × ٣٠ ملم	1 no
③	Sign Face 1500 X 1440 X 2 mm Alum. Panel - bent at right angle at 30 mm from the top and bottom edges	وجه اللوحة من ألواح الألمنيوم مقاس ١٥٠٠ × ١٤٤٠ ملم مع ثني الجانبين العلوي والسفلي ٣٠ ملم	4 nos
④	6 x 60 mm Bolt & Nut for fixing the Post to the Steel Tubular Framing.	قضيب معدني مسنن وصامولت مقاس ٦ × ٦٠ ملم لتثبيت الماسورة الجانبية بالهيكل الحديدي	6 nos
⑤	Post Cap.	غطاء الماسورة من الألمنيوم	4 nos
	Note - Sign Face (Alum. Panels) to be stick on to the steel tubular frame with Special 3M Adhesive		
	ملاحظة: وجه اللوحة الألمنيوم يثبت بالهيكل الحديدي بواسطة لاصق وجهين مارك ٣م		




Ref #	Material Description	وصف المادة	المرجع
①	6000 X1440mm sign framing of 30X30mm galvanized steel square tubes	هيكل مقاس 1440x6000 ملم من تيوبوات الحديد المربع 30 × 30 ملم	①
②	80mm dia. alum. Single slot sign pole	ماسورة المونيوور بطول 940 ملم قطر 80 ملم	②
③	5 mm male clamps welded to the main sign frame - to be hooked on the base frame	كلاص من الحديد سماكة 5 ملم ملحومة في الهيكل الحديدي للوحة لزور التعليق بقضبان التركيب المسطحة المثبتة بالجدار	③
⑦	galvanized steel brackets	أداة تثبيت من الحديد المجلفن سماكة 2 ملم	⑦
⑧	alum sheets (sign face)	ألواح المونيوور (وجه اللوحة).	⑧

اللوحة مع قضبان التركيب المسطحة (منظور خلفي)
SIGN BOARD WITH INSTALATION BARS (BACK VIEW)




Ref #	Material Description	وصف المادة	المرجع
①	6000 X1440mm sign framing of 30X30mm galvanized steel square tubes	هيكل مقاس 1440x6000 ملم من تيوبوات الحديد المربع 30 × 30 ملم	①
②	80mm dia. alum. Single slot sign pole	ماسورة المونيوور بطول 940 ملم قطر 80 ملم	②
③	5 mm male clamps welded to the main sign frame - to be hooked on the base frame	كلاص من الحديد سماكة 5 ملم ملحومة في الهيكل الحديدي للوحة لزور التعليق بقضبان التركيب المثبتة بالجدار	③
④	160 X 40 X 10mm flat galvanized steel bars welded to the base frame & fixed to the wall with screws & metal plugs	قطع من القضبان الحديديّة المسطحة مقاس 160 × 40 × 10 ملم ملحقة ومثبتة بقضبان التركيب المسطحة مزودة بعدد 2 قلب لزور التركيب بالجدار	④
⑤	3000 X 60 X 6 mm galvanized steel flat bar (installation base)	قضبان التركيب المسطحة من الحديد المجلفن مقاس 3000 × 60 × 6 ملم	⑤
⑥	Wall	الجدار	⑥
⑦	galvanized steel brackets	أداة تثبيت من الحديد المجلفن سماكة 2 ملم	⑦

اللوحة - منظور خلفي SIGN BOARD (BACK VIEW)





قطاع عرضي - منظور علوي التفاصيل (A-A) CROSS SECTION TOP VIEW DETAIL (A-A)



قطاع عرضي - منظور جانبي - كيفية التركيب TO SHOW MATHOD OF INSTALATION CROSS SECTIONAL SIDE VIEW

WEYEL SYSTEM FOR ALL SCHOOL

منظور جانبي
Cross Section - Side View



لوحات مسميات الفصول والغرف



- 1 - ALUMINUM EXTRUDED FRAME
- 2 - ALUMINUM CORNER PLACE
(TO BE REVERTED TO THE TOP & BOTTOM FRAME)
- 4 - 75X300 MM WEYEL STRIP
(TO BE PUSH FITTED IN THE GROOVED PROFILE)
- 5 - DOUBLE SIDED ADHESIVE TAPE TO STUCK ON THE WEYEL STRIP
- 6 - 75X100 MM WEYEL AREA PRINTED WHITE
- 7 - REVERTS FOR FASTENING THE GROOVED PROFILE TO THE FRAME
- 8 - HOLES FOR SCREWING THE FRAME TO THE WALL

- ١ - إطار من قطاعات الألومنيوم
- ٢ - كورنر ألومنيوم
- ٣ - قاعدة من قطاعات الألومنيوم لتثبيت الشرائح مثبتة على الإطار الألومنيوم
- ٤ - شريحة مقاس ٧٥×٣٠٠ ملم للتثبيت على القاعدة الألومنيوم ، خاصة بمسمى الغرفة
- ٥ - لاصق وجهين ماركة
- ٦ - شريحة مقاس ٧٥×١٠٠ للتثبيت على القاعدة الألومنيوم. خاصة بالشعار
- ٧ - برشام تثبيت القواعد الألومنيوم بالطار
- ٨ - ثقب لتثبيت الإطار الألومنيوم بالجدار

GOVERNMENT ORGANIZATIONS WHO HAVE TRUSTED US WITH THEIR SIGNAGE REQUIREMENTS



البريد السعودي
Saudi Post



الجمعية الخيرية لرعاية الأيتام

